



PARALLEL SESSION 1.4

INTERROGATING [FISCAL/PUBLIC] POLICIES AND POLITICS



| BACKGROUND

As countries pursue their journey towards Universal Health Coverage (UHC), they face an increasing burden of noncommunicable diseases (NCDs), which are now the leading cause of death in the world, killing 40 million people each year and representing 70% of all annual deaths. Eighty percent of NCD — cancer, cardiovascular disease, chronic lung disease and diabetes — deaths occur in low- and middle-income countries, straining health care systems, contributing to poverty and posing a major barrier to development. Prevention and control of NCDs requires new approaches in the health sector, including using fiscal and regulatory policy instruments and other multisectoral interventions. Tobacco use, obesity and risky alcohol abuse are three leading risk factors for the development of NCDs that are amenable to use of such fiscal and regulatory policy instruments.

Given the high human and economic toll posed by NCDs, the prevention of these conditions should be a public health imperative under the UHC agenda. The statistics on these three risk factors are staggering:

- Tobacco use contributes to 7 million deaths annually.
- Obesity contributes to 4 million deaths annually.
- Alcohol abuse contributes to 3.3 million deaths annually, and well to injuries (e.g., due to road traffic crashes).

Existing evidence from around the world, particularly on tobacco taxation, shows that taxing these products can offer a “win-win” for countries strengthening their health systems by increasing both positive health outcomes and domestic resources to fund priority investments and programs. The public health impact, revenue generation and increased equity that could result from taxing specific products all point to the value of a redoubled and sustained effort to support the utilization of this fiscal policy as a global public good. However, this fiscal measure, is underused across the world. Nothing illustrates this more than gains achieved from taxing tobacco over the past couple decades in many countries (World Bank Group Global Tobacco Control Program website: <http://www.worldbank.org/en/topic/tobacco>). The lessons learnt from the use of tobacco taxes, for instance, can also serve for other innovative uses of fiscal policy instruments for public health.

| OBJECTIVES

The objective is to share country experiences and evidence on implementing tax and other fiscal policies for public health, with a focus on experiences from tobacco, alcohol and sugary drinks tax policies that optimally address the dual goals of tobacco, alcohol, and sugary drinks use reduction and domestic resource mobilization to fund priority investments and programs that benefit all. The session will also address barriers to implementation, and focus on “how countries” can best leverage fiscal policies to yield improved health outcomes for their citizens with the added benefit of bringing in additional revenue and enhancing equity.





Panelist

Blanca Llorente

Director

Fundación Anaas
Colombia

Blanca Llorente is the research director of Fundación Anáas, a think tank in Colombia. She has more than 10 years of experience in tobacco control and earlier work in market analysis for the financial sector. She has played a key role in advocacy to advance the tobacco tax agenda in Colombia and the Latin America region. Her background includes the promotion of policies and best practices in environmental and public health policies and human rights. Ms. Llorente received her BA in Economics from Universidad Javeriana, and an MSc in Public health from LSHTM University of London. She was previously a researcher, Vice Dean and Research director at the School of Economics in Universidad Sergio Arboleda. She is currently associate researcher at Fundación Salutia and CREER. Her recent work includes: illicit cigarette trade studies in Colombia, collaboration with illicit trade measurement initiatives in the region, and the design of a monitoring system for tax policy in Colombia.